

Single Frame-3d-ART Simply Attractive

SPC WALL PANELS

The EVOX wall panels are made of marble and recyclable polymers (stone polymer composite). The product is extremely robust and fully waterproof. These innovative panels offer easy installation, exceptional durability, and a wide range of realistic designs, replicating the beauty of natural materials such as wood, marble, and stone. Upgrade and transform your space with these fire-resistant and low-maintenance panels, revolutionizing your home with style and functionality.

SPC based over 70% of marble content

Digital print design with UV coated surface

Extraordinary large format:

Perfect for different subsurfaces: concrete, tiles, gypsum plaster, plywood, OSB

- Characteristics
- Waterproof
- Easy Installation - Dimensionally Stable
- Antibacterial
- Scratch Resistant
- Completely Recyclable
- Stain proof and easy to clean

Characteristics



















Applications

- Wall coverings in wet and dry areas
- Waterproof furniture
- Decorative finishes

Applications











Single Frame-3d-ART Simply Attractive

Waterproof wall system

Innovative waterproof SPC tiles

Waterproof EVOX Tiles, made of over 70% of mineral core, finished with high-quality UV coating, is an outstanding material for domestic and commercial use, both in new projects and renovations.

Versatility of EVOX Tiles allows for many application possibilities - wall coverings in wet & dry areas, decorative finishes, doors and entrance portals or even waterproof furniture

Extraordinary format

EVOX Tiles is a range of slim and lightweight slabs Large format (2.800 x 1.220mm) allows to cover full height of walls in most apartments and houses.

Apperance of natural wood and ston

EVOX Tiles designs are digitally printed, reflecting down to the smallest detail the rich grain of wood and roughness of stones and concrete. Easy handling & installation

Designed with utmost care of easy handling and installation; can be cut, shaped, drilled and most of all, installed on different subsurfaces: ceramic tiles, gipsum plaster, concrete, plywood or osb.

Characteristics



Waterproof

FVOX Tiles is suit



Digital Design

Authentic appearance of wood, stones and metals thanks to digital print technology finished.



EVOX Tiles have a soft, pleasant surfacementable and warm tactile represtig



Fire resistant



sionally stable

EVOX Tiles does not change its dimensions under the influence of temperature and humidity changes so it can be used indor in sunny areas as well as in dry and humid ones.



Scratch resistant

EVOX Tiles are well-protected against fine scratches and everyday wear and tear thanks to durable top surface layer



Stain proof and easy to clean

EVOX Tiles meets stain resistance requirements, which might be caused by most common substances used in your living space: coffee, tea wine and other beverages, cleaning agents used in kitchen, laundry, and care products used in



Single Frame-3d-ART Simply Attractive

ADVANTAGES



Waterproof

SPC UV BOARD has the advantage of being waterproof and moistur the weakness of traditional wall panels that are susceptible to water.





The combustion test level reaches B1, and the material is effectively fireproof.



Eco-Friendly

Eco-friendly and formaldehyde-free, it is a new type of green and environmentally friendly decorative material.



Installation is convenient, saving a considerable amount of time and money



Easy to clean

The surface is smooth and easy to clean, preventing the accumulation of stains.



Diverse design options

Offers a wide range of textures and colors suitable for various interior design styles, meeting diverse needs.

■ SPC Rigid Core

High-performance composite panels that combine the exceptional qualities of stone and

plastic, delivering outstanding strength and resilience. UV Coating Layer High-performance UV coating treatment can effectively prevent damage to the board caused by ultraviolet rays.

SPECIFICATIONS

ITEM	SPC Wall Panel
MATERIAL	PVC+Calcium carbonate+Additive
CERTIFICATES	Fire retardant grade:B2
INSTALLATION	Glue+Aluminium profile
THICKNESS	1,8-3-5-6-8 mm
LENGTH	2440-2800-3000 mm
WIDTH	1220 - 1300mm
DENSITY	2000 Kg/m3







Single Frame-3d-ART

Simply Attractive





SPC WALL PANEL

WALL PANEL - HIGH GLOSS / MATTE PRODUCT PROFILE		
JIDAR Single		
EVOX		
Single Frame + 3D + Art		
TEXAN	A	
Woody \ Textile \ Stone		
OPTIK		
Open Book + Resi	n Alternative	
PRIVO)	
Single Private Picture +	Resin Alternative	



@ admiral-egypt.com 0554411842 - 0554413271 Industrial. Zone No. A4 Section 116 10th of Ramadan City 44916 Sharpia - Egypt